



# MagicSeal™

SKU: [DTF-MAGICSEAL](#)

The DTF *MagicSeal*™ is used for the final post press of your DTF transfer onto the garment or textile for extra durability. The *MagicSeal*™ is a paper carrier with a thin silicon rubber film applied to it. The film will seal and mold the image deep into the weave of the garment for the best wash and stretch durability.

## INSTRUCTIONS FOR BEST RESULTS:

- 1) Before the first use, press the sheet with the rubber side down on the lower platen of your heat press with media pressure for 20 seconds at 270° F / 132° C. This will condition the *MagicSeal*™ properly.
- 2) Press and peel your DTF transfer normally according to the instructions for the particular DTF film/paper you are using.
- 3) For the final post press, apply the rubbery side of the *MagicSeal*™ onto your garment, and press for 20 seconds with heavy pressure at a temperature between 270° - 290° F (132° - 143° C).


## Important:

- Use the *MagicSeal*™ in place of kraft paper for the final post press only!
- Do not cut the sheet in any way or the rubber film will come apart
- Recommended temperature tolerance is 270° - 290° F (132° - 143° C)

WITH

DTF  
PRO

MagicSeal™



WITHOUT

DTF  
PRO

MagicSeal™

