
Direct to Garment Printer



RICOH Ri 1000













RICOH Ri 1000

Faster Speeds, Higher Image Resolution, and Smarter Technology

The versatile RICOH Ri 1000 offers quick print speeds and crisp, vibrant graphics. An ideal solution for new businesses, print shops looking to expand their offerings, and e-commerce businesses with mid-volume production.

Higher Productivity

Discover the shortest route from design to print. With the included AnaRIP and optional advanced Kothari Pro RIP software, the RICOH Ri 1000 prints full-color graphics in less than 28 seconds.*

Ease & Versatility

Quick-change platen options save time while expanding your product offerings. Simply swap and print. No screwdrivers or special tools required.

High Value, Quick ROI

Launching or expanding your apparel printing business has never been easier. Get an impressive set of features at an affordable price that fits your budget to help you achieve ROI quickly.

Walk-Up Ready

Intelligent auto clean and automatic white ink agitation ensure the machine is ready to print whenever you are.



* Speed test performed using Speed Wide setting on 10" x 8" print on white garment.

High Performance | Excellent Value

Get even more for less. With higher image quality, more accurate colors, and automated setup and maintenance, the RICOH Ri 1000 easily outperforms its competition

High-Performance Print Heads

The RICOH Ri 1000 is equipped with Ricoh GH2220 print heads designed for speed, precision, and durability. The result is gorgeous, high-resolution print quality and minimized maintenance.

Overhead Viewport

Monitor prints from beginning to end. Top window design allows you to view your print job in real time.

Interactive Touchscreen With Smart Alerts

Spacious 7" touchscreen boasts a vibrant, full-color display with upgraded graphical interface, intuitive controls, and a built-in Interactive Operation Guide that provides smart alerts and maintenance reminders.



Quick-Change Platens

Changing platens is a snap. Easily swap among different platen options for maximum versatility with virtually no downtime between setups.

Sharp, Vibrant Images

Wow your customers with eye-popping prints. The Ri 1000 offers brighter, more accurate colors and higher image resolution up to 1200 x 1200 dpi.

Easy Table Adjustment

Quickly switch from printing on a thin garment to a thick garment, thanks to convenient optical sensor technology and precise table height adjustment. Dressable platens provide hassle-free loading and garment protection.

RICOH Ri 1000 SYSTEM SPECIFICATIONS

General Specifications

Printable area Up to 16" x 19.6" / 40.6 cm x 49.8 cm

with optional large platen.

8/192 (CMYK plus 4 white chambers)

Print head technology Ricoh GH2220 piezo-electric

drop-on-demand inkjet

Ink chambers/nozzles

per chamber

Typical print speeds, 10" x 8" graphic, light garment

Speed Print 28 secondsFine Print 42 seconds

Resolution settings Speed: 600x600 dpi

Fine: 600x600 dpi

Super Fine: 1200x1200 dpi

Ink Genuine Ricoh-approved direct to gar-

ment water-based pigmented CMYK

and white ink

Ink delivery system Advanced closed-loop delivery system;

Auto ink circulation system for white

channels

Printable substrates 100% cotton and high-cotton blends;

100% light poly, up to 50/50 dark poly, wood and canvas. Hats, shoes and other extended media options coming

soon

Table height adjustment Precision manual table height

adjustment up to 1.2"

Maintenance features Precise ink monitoring, auto ink main-

tenance system, automated print head cleaning, power purge system to help fill and remove ink from system

Operating Environment 59°F/15°C to 90°F/32°C,

Humidity 45-80% RH, non-condensing

humidifier recommended

Connectivity Supports USB drive and Ethernet

Electrical requirements 100/120VAC 50-60Hz, 0.65A max, 70 watts

Dimensions 18.9"H x 52.2"L x 33.9"W

Weight 242.5 lbs (110 kg)

Curing temperatures and times - heat press

times - heat press (conveyer times vary) Light shirt (CMYK only): 356°F/180°C,

40 seconds

/ary) Dark shirt (white ink): 330°F/165°C,

90 seconds

Pretreatment Genuine Ricoh-approved pretreatment

formulas. Use included HVLP Wagner power sprayer or automatic sprayer in a

separate room from your printer.

Optional tables

Standard table Medium (Included) 12.6" x 18"

32 cm x 45.7 cm

Optional platens

Large 16" x 19.6"

40.6 cm x 49.8 cm

Small 10.5" x 13"

26.6 cm x 33 cm

More options available soon.

AnaRIP & Kothari Pro RIP System Requirements

	AnaRIP	Kothari
Recommended graphics applications	PhotoShop/Illustrator CorelDraw	Photo Shop/Illustrator Corel Draw
Compatible file formats	TIFF, PNG, JPG, PDF, PSD, AI, BMP	TIFF, PNG, JPG, PDF, PSD, AI, BMP
Required Operating System	Windows 7,8,10, 32- or 64-bit	Windows 7,8,10 64-bit
Minimum processor and memory	PC Based 2.0 GHz, 2 GB RAM	PC Based Intel i5 or i7 quad core 3.3 GHz, 6 GB RAM
Computer storage	2.0 GB hard drive space	Hard Drive with SATA interface and 1TB available space for image storage
Minimum monitor resolution	1024 x 768	SVGA 1280x1024
Maximum image size	4200 x 5000 @ 300 dpi	4200 x 5000 @ 300 dpi



RicohDTG.com (877) 626-2538

